



HDD-272, Phase III - Near JP Chowk  
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099  
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

<i>Name &amp; Address Of The Customer</i>		REPORT NO	UES/TR/22-23/05356
<b>To,</b>		LAB REF NO	UES/22-23/W/012052
<b>SHRI BAJRANG POWER &amp; ISPAT LTD.</b>		DATE OF SAMPLING	10/11/2022
<b>VILL: TANDAWA &amp; KUNDRU,</b>		DATE OF RECEIPT	11/11/2022
<b>DHARSIWA -TILDA ROAD ,</b>		DATE OF REPORT	15/11/2022
<b>TEHSIL -TILDA, RAIPUR(C.G.)</b>		DATE OF ANALYSIS	START: 11/11/2022      END: 15/11/2022
SAMPLE DETAILS			
MONITORING FOR	AMBIENT AIR QUALITY MONITORING	CUSTOMER REF. NO. & DATE	SBPIL/TILDA/ENV/2022-23/1404, DTD.22/10/2022
SAMPLING LOCATION	NEAR SID COOLER DISCHARGE		
LATITUDE	21.487669	LONGITUDE	81.769348
DURATION OF SAMPLING	24 HOURS	SAMPLE COLLECTED BY	LABORATORY CHEMIST
SAMPLING PROCEDURE	AS PER METHOD REFERENCE		
SAMPLE QUANTITY/PACKING	FILTER PAPER (PM <sub>10</sub> ): 1X1 NO., FILTER PAPER (PM <sub>2.5</sub> ): 1X1 NO. SO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE, NO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE RUBBER BLADDER: 1X1 NO.		

## TEST REPORT

SR. NO.	PARAMETER	UNIT	RESULT	NAAQM STANDARD	METHOD REFERENCE
1	Particulate Matter size less than 10 microns (as PM <sub>10</sub> )	µg/m <sup>3</sup>	84	100	IS 5182 (Part 23): 2006 & CPCB Guidelines Vol.-I
2	Particulate Matter size less than 2.5 microns (as PM <sub>2.5</sub> )	µg/m <sup>3</sup>	34	60	UES/SAP/A/02/PM2.5:2019 & CPCB Guidelines Vol.-I
3	Sulphur Dioxide (as SO <sub>2</sub> )	µg/m <sup>3</sup>	13	80	IS 5182 (Part 2): 2001, RA 2006 & CPCB Guidelines Vol.-I
4	Nitrogen Dioxide (as NO <sub>2</sub> )	µg/m <sup>3</sup>	30	80	IS 5182 (Part 6): 2006 & CPCB Guidelines Vol.-I
5	Carbon Monoxide (as CO)	mg/m <sup>3</sup>	1.6	4.0	IS 5182(Part 10):1999, RA 2003

Note: All results are on the basis of 24hour sampling.

**REMARKS: RESULTS ARE AS ABOVE**

### Terms & conditions

- The report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only

 15/11/2022 PREPARED BY		For ULTIMATE ENVIROLYTICAL SOLUTIONS  AUTHORIZED SIGNATORY
-------------------------------	--	--

-----End of the test report-----



### PARAMETER REPORT

[Back to Reports](#) (/reports-list)

Date\*

2023-04-01 00:00:00 - 2023-04-30 11:20:00

Aggregation Duration\*

Daily

Station(s)\*

AAQMS 4

Parameter(s)\*

All selected (5)

Metric	Aggregation
CAAQMS CO	Average
CAAQMS NOX	Average
CAAQMS PM2.5	Average
CAAQMS PM10	Average
CAAQMS SO2	Average

Report Data

Period	Station Type	CAAQMS
2023-04-01 00:00:00 - 2023-04-30 11:20:00		

#	Time	AAQMS 4 CAAQMS CO(ug/m <sup>3</sup> ) (avg)	AAQMS 4 CAAQMS NOX(ug/m <sup>3</sup> ) (avg)	AAQMS 4 CAAQMS PM10(ug/m <sup>3</sup> ) (avg)	AAQMS 4 CAAQMS PM2.5(ug/m <sup>3</sup> ) (avg)	AAQMS 4 CAAQMS SO2(ug/m <sup>3</sup> ) (avg)
1	2023-04-01 00:00:00	0.27	3.22	26.1	9.05	33.98
2	2023-04-02 00:00:00	0.26	3.11	26.1	9.05	23.53
3	2023-04-03 00:00:00	0.25	3.1	26.1	9.05	23.56

#	Time	AAQMS 4 CAAQMS CO(mg/m <sup>3</sup> ) (avg)	AAQMS 4 CAAQMS NOX(µg/m <sup>3</sup> ) (avg)	AAQMS 4 CAAQMS PM10(µg/m <sup>3</sup> ) (avg)	AAQMS 4 CAAQMS PM2.5(µg/m <sup>3</sup> ) (avg)	AAQMS 4 CAAQMS SO2(µg/m <sup>3</sup> ) (avg)
4	2023-04-04 00:00:00	0.25	3.28	26.1	9.05	25.22
5	2023-04-05 00:00:00	0.26	3.12	26.1	9.04	28.91
6	2023-04-06 00:00:00	0.26	3.08	26.1	9.05	30.5
7	2023-04-07 00:00:00	0.25	3.09	26.1	9.04	31.93
8	2023-04-08 00:00:00	0.24	3.07	26.1	9.05	29.54
9	2023-04-09 00:00:00	0.26	3.1	26.1	9.05	28.05
10	2023-04-10 00:00:00	0.24	3.07	26.1	9.05	28.66
11	2023-04-11 00:00:00	0.26	3.3	26.1	9.05	34.58
12	2023-04-12 00:00:00	0.25	3.07	26.1	9.05	32.31
13	2023-04-13 00:00:00	0.27	3.11	26.1	9.04	28.27
14	2023-04-14 00:00:00	0.27	3.23	26.06	9.05	26.39
15	2023-04-15 00:00:00	0.26	3.1	26.1	9.05	27.29
16	2023-04-16 00:00:00	0.26	3.07	26.1	9.04	28.29
17	2023-04-17 00:00:00	0.25	3.07	26.1	9.05	27.99
18	2023-04-18 00:00:00	0.27	5.92	26.1	9.04	28.85
19	2023-04-19 00:00:00	0.25	3.25	26.1	9.04	28.47
20	2023-04-20 00:00:00	0.26	3.09	26.1	9.04	28.19
21	2023-04-21 00:00:00	0.26	3.09	26.1	9.05	29.03
22	2023-04-22 00:00:00	0.26	3.13	26.1	9.05	29.3
23	2023-04-23 00:00:00	0.26	3.05	26.1	9.05	29.06
24	2023-04-24 00:00:00	0.25	3.06	21.39	9.05	27.91
25	2023-04-25 00:00:00	0.24	3.1	20.61	9.05	26.98
26	2023-04-26 00:00:00	0.26	3.09	10.73	9.05	23.4
27	2023-04-27 00:00:00	0.25	3.28	14.59	8.48	21.25
28	2023-04-28 00:00:00	0.26	3.09	13.53	7.69	19.29
29	2023-04-29 00:00:00	0.24	3.07	14.91	8.16	17.71
30	2023-04-30 00:00:00	0.25	3.26	8.66	4.77	15.31

SHRI BAJRANG POWER & ISPAT LTD-TILDA PLANT Raipur, Chhattisgarh

Stack\_1\_Palletization Plant

POLLUTANT(S) All Custom 01-Apr-2023 - 30-Apr-2023 AVG: 1 day

Go

Dashboard Data Diagnostic Alerts

Download

1-30 of 30

Scan Timestamp	NOX (mg/Nm3)	PM (mg/Nm3)	SO2 (mg/Nm3)
30-Apr-2023 00:00:01	-	2.47	-
29-Apr-2023 00:00:01	4.51	9.89	88.21
28-Apr-2023 00:00:01	7.72	16.67	98.15
27-Apr-2023 00:00:01	7.36	16.62	100.80
26-Apr-2023 00:00:01	10.20	16.64	105.37
25-Apr-2023 00:00:01	6.08	16.64	96.09
24-Apr-2023 00:00:01	9.03	15.68	100.34
23-Apr-2023 00:00:01	7.45	16.66	89.34
22-Apr-2023 00:00:01	6.02	16.60	89.37
21-Apr-2023 00:00:01	3.34	16.52	77.19
20-Apr-2023 00:00:01	3.60	16.65	80.74
19-Apr-2023 00:00:01	7.44	16.63	93.74
18-Apr-2023 00:00:01	4.42	16.59	86.70
17-Apr-2023 00:00:01	13.01	16.69	107.09
16-Apr-2023 00:00:01	27.06	17.00	106.75
15-Apr-2023 00:00:01	13.10	17.05	105.97
14-Apr-2023 00:00:01	12.96	16.70	105.84
13-Apr-2023 00:00:01	12.79	16.74	104.49
12-Apr-2023 00:00:01	24.22	16.94	107.63
11-Apr-2023 00:00:01	35.57	16.88	112.70
10-Apr-2023 00:00:01	27.18	16.71	92.43
09-Apr-2023 00:00:01	19.44	16.78	85.41
08-Apr-2023 00:00:01	22.97	16.78	101.17
07-Apr-2023 00:00:01	23.57	16.57	108.43
06-Apr-2023 00:00:01	26.87	16.87	107.82
05-Apr-2023 00:00:01	27.69	16.76	109.10
04-Apr-2023 00:00:01	30.37	16.49	101.13
03-Apr-2023 00:00:01	9.95	16.71	82.70
02-Apr-2023 00:00:01	13.57	16.73	105.73
01-Apr-2023 00:00:01	13.64	16.62	106.27



SHRI BAJRANG POWER & ISPAT LTD-TILDA PLANT Raipur, Chhattisgarh

Stack-2 WHRB CPP Boiler

POLLUTANT(S) All Custom 01-Apr-2023 - 30-Apr-2023 AVG: 1 day

Go

Dashboard Data Diagnostic Alerts

Download

1-30 of 30

Scan Timestamp	NOX (mg/Nm3)	PM (mg/Nm3)	SO2 (mg/Nm3)
30-Apr-2023 00:00:40	49.85	20.98	66.62
29-Apr-2023 00:00:40	50.47	20.85	66.82
28-Apr-2023 00:00:40	50.57	20.27	66.93
27-Apr-2023 00:00:40	50.39	20.73	66.80
26-Apr-2023 00:00:40	49.88	20.75	66.33
25-Apr-2023 00:00:40	49.58	20.96	65.68
24-Apr-2023 00:00:40	50.00	20.78	65.39
23-Apr-2023 00:00:40	49.71	21.03	65.51
22-Apr-2023 00:00:40	50.25	21.03	64.97
21-Apr-2023 00:00:40	49.82	21.16	65.01
20-Apr-2023 00:00:40	50.10	21.03	65.37
19-Apr-2023 00:00:40	50.40	21.20	65.40
18-Apr-2023 00:00:40	50.33	21.04	65.54
17-Apr-2023 00:00:40	50.16	21.12	65.14
16-Apr-2023 00:00:40	49.87	20.91	65.03
15-Apr-2023 00:00:40	50.13	20.59	64.82
14-Apr-2023 00:00:40	49.93	20.63	64.25
13-Apr-2023 00:00:40	50.42	20.58	64.49
12-Apr-2023 00:00:40	51.26	22.59	64.67
11-Apr-2023 00:00:40	51.31	23.07	64.28
10-Apr-2023 00:00:40	50.25	21.84	63.93
09-Apr-2023 00:00:40	49.76	21.92	63.49
08-Apr-2023 00:00:40	49.49	21.95	63.21
07-Apr-2023 00:00:40	50.84	21.70	62.64
06-Apr-2023 00:00:40	50.16	21.89	61.02
05-Apr-2023 00:00:40	50.00	21.84	60.75
04-Apr-2023 00:00:40	50.51	21.77	61.01
03-Apr-2023 00:00:40	49.84	21.82	60.68
02-Apr-2023 00:00:40	50.34	21.77	60.74
01-Apr-2023 00:00:40	50.86	21.70	61.11

Data available at this portal is as per CPCB prescribed procedure published at [cpcb.nic.in](http://cpcb.nic.in) (<http://cpcb.nic.in>)

**SHRI BAJRANG POWER & ISPAT LTD-TILDA PLANT** 📍 Raipur, Chhattisgarh

Stack\_3\_KILN

POLLUTANT(S) All Custom 01-Apr-2023 - 30-Apr-2023 AVG: 1 day

Go ▶

Dashboard **Data** Alerts

Download

1-30 of 30 « »

Scan Timestamp	CO (mg/Nm3)	TOC (PPM)
30-Apr-2023 00:00:01	22.13	5.36
29-Apr-2023 00:00:01	26.88	5.57
28-Apr-2023 00:00:01	29.44	5.83
27-Apr-2023 00:00:01	29.54	5.77
26-Apr-2023 00:00:01	28.85	5.66
25-Apr-2023 00:00:01	27.78	5.75
24-Apr-2023 00:00:01	27.12	5.75
23-Apr-2023 00:00:01	26.82	5.95
22-Apr-2023 00:00:01	28.66	6.05
21-Apr-2023 00:00:01	30.59	6.35
20-Apr-2023 00:00:01	35.11	6.58
19-Apr-2023 00:00:01	38.28	6.89
18-Apr-2023 00:00:01	38.04	6.90
17-Apr-2023 00:00:01	37.53	6.84
16-Apr-2023 00:00:01	35.86	6.80
15-Apr-2023 00:00:01	36.01	6.51
14-Apr-2023 00:00:01	37.16	6.97
13-Apr-2023 00:00:01	35.95	6.87
12-Apr-2023 00:00:01	36.17	7.09
11-Apr-2023 00:00:01	35.05	6.89
10-Apr-2023 00:00:01	32.07	6.34
09-Apr-2023 00:00:01	31.21	6.06
08-Apr-2023 00:00:01	27.57	5.79
07-Apr-2023 00:00:01	31.58	6.03
06-Apr-2023 00:00:01	31.64	6.19
05-Apr-2023 00:00:01	32.75	6.35
04-Apr-2023 00:00:01	32.04	6.16
03-Apr-2023 00:00:01	31.43	6.04
02-Apr-2023 00:00:01	30.10	6.16
01-Apr-2023 00:00:01	26.63	5.97



SHRI BAJRANG POWER & ISPAT LTD-TILDA PLANT 📍 Raipur, Chhattisgarh

Stack\_8\_Ferro\_Alloys

POLLUTANT(S) PM

Custom

01-Apr-2023 - 30-Apr-2023

AVG: 1 day

Go ▶

Dashboard **Data** Alerts

Download

1-30 of 30 « »

Scan Timestamp	PM (mg/Nm3)
30-Apr-2023 00:00:01	17.00
29-Apr-2023 00:00:01	17.00
28-Apr-2023 00:00:01	17.00
27-Apr-2023 00:00:01	17.00
26-Apr-2023 00:00:01	17.00
25-Apr-2023 00:00:01	16.63
24-Apr-2023 00:00:01	16.59
23-Apr-2023 00:00:01	17.00
22-Apr-2023 00:00:01	17.15
21-Apr-2023 00:00:01	18.08
20-Apr-2023 00:00:01	18.00
19-Apr-2023 00:00:01	18.01
18-Apr-2023 00:00:01	18.65
17-Apr-2023 00:00:01	16.44
16-Apr-2023 00:00:01	14.63
15-Apr-2023 00:00:01	13.99
14-Apr-2023 00:00:01	14.53
13-Apr-2023 00:00:01	15.40
12-Apr-2023 00:00:01	14.83
11-Apr-2023 00:00:01	15.97
10-Apr-2023 00:00:01	14.23
09-Apr-2023 00:00:01	13.20
08-Apr-2023 00:00:01	13.78
07-Apr-2023 00:00:01	16.67
06-Apr-2023 00:00:01	17.00
05-Apr-2023 00:00:01	17.00
04-Apr-2023 00:00:01	17.00
03-Apr-2023 00:00:01	15.94
02-Apr-2023 00:00:01	15.00
01-Apr-2023 00:00:01	15.00





HDD-272, Phase III - Near JP Chowk  
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099  
Ph : 0771 - 4027777 | Email : ultimatenviron@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

Name & Address Of The Customer		REPORT NO	UES/TR/22-23/05357	
<b>To,</b> <b>SHRI BAJRANG POWER &amp; ISPAT LTD.</b> <b>VILL: TANDAWA &amp; KUNDRU,</b> <b>DHARSIWA -TILDA ROAD ,</b> <b>TEHSIL -TILDA, RAIPUR(C.G.)</b>		LAB REF NO	UES/22-23/W/012053	
		DATE OF SAMPLING	10/11/2022	
		DATE OF RECEIPT	11/11/2022	
		DATE OF REPORT	15/11/2022	
		DATE OF ANALYSIS	START: 11/11/2022	END: 15/11/2022
<b>SAMPLE DETAILS</b>				
MONITORING FOR	AMBIENT AIR QUALITY MONITORING	CUSTOMER REF. NO. & DATE	SBPIL/TILDA/ENV/2022-23/1404, DTD. 22/10/2022	
SAMPLING LOCATION	NEAR MAIN GATE			
DURATION OF SAMPLING	24 HOURS	SAMPLE COLLECTED BY	LABORATORY CHEMIST	
SAMPLING PROCEDURE	AS PER METHOD REFERENCE			
SAMPLE QUANTITY/PACKING	FILTER PAPER (PM <sub>10</sub> ): 1X1 NO., FILTER PAPER (PM <sub>2.5</sub> ): 1X1 NO. SO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE, NO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE RUBBER BLADDER: 1X1 NO.			

## TEST REPORT

SR. NO.	PARAMETER	UNIT	RESULT	NAAQM STANDARD	METHOD REFERENCE
1	Particulate Matter size less than 10 microns (as PM <sub>10</sub> )	µg/m <sup>3</sup>	84	100	IS 5182 (Part 23): 2006 & CPCB Guidelines Vol.-I
2	Particulate Matter size less than 2.5 microns (as PM <sub>2.5</sub> )	µg/m <sup>3</sup>	41	60	UES/SAP/A/02/PM2.5:2019 & CPCB Guidelines Vol.-I
3	Sulphur Dioxide (as SO <sub>2</sub> )	µg/m <sup>3</sup>	11	80	IS 5182 (Part 2): 2001, RA 2006 & CPCB Guidelines Vol.-I
4	Nitrogen Dioxide (as NO <sub>2</sub> )	µg/m <sup>3</sup>	24	80	IS 5182 (Part 6): 2006 & CPCB Guidelines Vol.-I
5	Carbon Monoxide (as CO)	mg/m <sup>3</sup>	1.1	4.0	IS 5182 (Part 10):1999, RA 2003

Note: All results are on the basis of 24 hour sampling.

**REMARKS: RESULTS ARE AS ABOVE**

### Terms & conditions

- The report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only

 15/11/2022 <b>PREPARED BY</b>	 For ULTIMATE ENVIROLYTICAL SOLUTIONS	 <b>AUTHORIZED SIGNATORY</b>
--------------------------------------	--	---------------------------------

-----End of the test report-----





HDD-272, Phase III - Near JP Chowk  
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099  
Ph : 0771 - 4027777 | Email : ultimatenviron@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

Name & Address Of The Customer <b>To, SHRI BAJRANG POWER &amp; ISPAT LTD. VILL: TANDAWA &amp; KUNDRU, DHARSIWA -TILDA ROAD , TEHSIL -TILDA, RAIPUR(C.G.)</b>	REPORT NO	UES/TR/22-23/05358	
	LAB REF NO	UES/22-23/W/012054	
	DATE OF SAMPLING	10/11/2022	
	DATE OF RECEIPT	11/11/2022	
	DATE OF REPORT	15/11/2022	
	DATE OF ANALYSIS	START: 11/11/2022	END: 15/11/2022
<b>SAMPLE DETAILS</b>			
MONITORING FOR	AMBIENT AIR QUALITY MONITORING	CUSTOMER REF. NO. & DATE	SBPIL/TILDA/ENV/2022-23/1404, DTD.22/10/2022
SAMPLING LOCATION	NEAR ADMIN BUILDING		
LATITUDE	21.311607	LONGITUDE	81.593498
DURATION OF SAMPLING	24 HOURS	SAMPLE COLLECTED BY	LABORATORY CHEMIST
SAMPLING PROCEDURE	AS PER METHOD REFERENCE		
SAMPLE QUANTITY/PACKING	FILTER PAPER (PM <sub>10</sub> ): 1X1 NO., FILTER PAPER (PM <sub>2.5</sub> ): 1X1 NO. SO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE, NO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE RUBBER BLADDER: 1X1 NO.		

### TEST REPORT

SR. NO.	PARAMETER	UNIT	RESULT	NAAQM STANDARD	METHOD REFERENCE
1	Particulate Matter size less than 10 microns (as PM <sub>10</sub> )	µg/m <sup>3</sup>	74	100	IS 5182 (Part 23): 2006 & CPCB Guidelines Vol.-I
2	Particulate Matter size less than 2.5 microns (as PM <sub>2.5</sub> )	µg/m <sup>3</sup>	26	60	UES/SAP/A/02/PM2.5:2019 & CPCB Guidelines Vol.-I
3	Sulphur Dioxide (as SO <sub>2</sub> )	µg/m <sup>3</sup>	10	80	IS 5182 (Part 2): 2001, RA 2006 & CPCB Guidelines Vol.-I
4	Nitrogen Dioxide (as NO <sub>2</sub> )	µg/m <sup>3</sup>	23	80	IS 5182 (Part 6): 2006 & CPCB Guidelines Vol.-I
5	Carbon Monoxide (as CO)	mg/m <sup>3</sup>	1.4	4.0	IS 5182 (Part 10):1999, RA 2003

Note: All results are on the basis of 24 hour sampling.

**REMARKS: RESULTS ARE AS ABOVE**

#### Terms & conditions

- The report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only

 15/11/2022 <b>PREPARED BY</b>		For ULTIMATE ENVIROLYTICAL SOLUTIONS   <b>AUTHORIZED SIGNATORY</b>
---	---	--

-----End of the test report-----





HDD-272, Phase III - Near JP Chowk  
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099  
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

Name & Address Of The Customer		REPORT NO	UES/TR/22-23/05359	
<b>To,</b> <b>SHRI BAJRANG POWER &amp; ISPAT LTD.</b> <b>VILL: TANDAWA &amp; KUNDRU,</b> <b>DHARSIWA -TILDA ROAD ,</b> <b>TEHSIL -TILDA, RAIPUR(C.G.)</b>		LAB REF NO	UES/22-23/W/012055	
		DATE OF SAMPLING	10/11/2022	
		DATE OF RECEIPT	11/11/2022	
		DATE OF REPORT	15/11/2022	
		DATE OF ANALYSIS	START: 11/11/2022	END: 15/11/2022
<b>SAMPLE DETAILS</b>				
MONITORING FOR	AMBIENT AIR QUALITY MONITORING	CUSTOMER REF. NO. & DATE	SBPIL/TILDA/ENV/2022-23/1404, DTD. 22/10/2022	
SAMPLING LOCATION	NEAR RAW MATERIAL YARD			
LATITUDE	21.493157	LONGITUDE	81.75055	
DURATION OF SAMPLING	24 HOURS	SAMPLE COLLECTED BY	LABORATORY CHEMIST	
SAMPLING PROCEDURE	AS PER METHOD REFERENCE			
SAMPLE QUANTITY/PACKING	FILTER PAPER (PM <sub>10</sub> ): 1X1 NO., FILTER PAPER (PM <sub>2.5</sub> ): 1X1 NO. SO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE, NO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE RUBBER BLADDER: 1X1 NO.			

## TEST REPORT

S.R. NO.	PARAMETER	UNIT	RESULT	NAAQM STANDARD	METHOD REFERENCE
1	Particulate Matter size less than 10 microns (as PM <sub>10</sub> )	µg/m <sup>3</sup>	78	100	IS 5182 (Part 23): 2006 & CPCB Guidelines Vol.-I
2	Particulate Matter size less than 2.5 microns (as PM <sub>2.5</sub> )	µg/m <sup>3</sup>	39	60	UES/SAP/A/02/PM2.5:2019 & CPCB Guidelines Vol.-I
3	Sulphur Dioxide (as SO <sub>2</sub> )	µg/m <sup>3</sup>	15	80	IS 5182 (Part 2): 2001, RA 2006 & CPCB Guidelines Vol.-I
4	Nitrogen Dioxide (as NO <sub>2</sub> )	µg/m <sup>3</sup>	30	80	IS 5182 (Part 6): 2006 & CPCB Guidelines Vol.-I
5	Carbon Monoxide (as CO)	mg/m <sup>3</sup>	1.1	4.0	IS 5182 (Part 10):1999, RA 2003

Note: All results are on the basis of 24 hour sampling.

**REMARKS: RESULTS ARE AS ABOVE**

### Terms & conditions

- The report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only

 15/11/2022 <b>PREPARED BY</b>		For ULTIMATE ENVIROLYTICAL SOLUTIONS  <b>AUTHORIZED SIGNATORY</b>
--------------------------------------	--	---

-----End of the test report-----