



HDD-272, Phase III - Near JP Chowk  
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099  
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

<i>Name &amp; Address Of The Customer</i>		REPORT NO.	UES/TR/22-23/05325	
<b>To,</b> <b>SHRI BAJRANG POWER &amp; ISPAT LTD.</b> <b>(TMT DIVISION) KHASRA NO.2/3, VILL:</b> <b>GONDWARA, URLA INDUSTRIAL AREA</b> <b>COMPLEX RAIPUR (C.G.) 493221.</b>		LAB REF NO.	UES/22-23/AAQM/012013	
		DATE OF SAMPLING	01/11/2022 to 02/11/2022	
		DATE OF RECEIPT	02/11/2022	
		DATE OF REPORT	07/11/2022	
		DATE OF ANALYSIS	START: 02/11/2022	END:07/11/2022
<b>SAMPLE DETAILS</b>				
MONITORING FOR	AMBIENT AIR QUALITY MONITORING			
SAMPLING LOCATION	NEAR POWER PLANT	LATITUDE	21.29294	
		LONGITUDE	81.61916	
CUSTOMER REF. NO.	SBPIL(GONDWARA)/ENV/22-23/1376 DATED: 22.10.2022			
SAMPLE COLLECTED BY	LABORATORY CHEMIST			
DURATION OF SAMPLING	24 HOURS			
SAMPLING PROCEDURE	AS PER METHOD REFERENCE			
SAMPLE QUANTITY/PACKING	FILTER PAPER (PM <sub>10</sub> ): 1X1 NO., FILTER PAPER (PM <sub>2.5</sub> ): 1X1 NO., SO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE, NO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE RUBBER BLADDER: 1X1 NO.			

### TEST REPORT

SR. NO.	PARAMETER	UNIT	RESULT	NAAQM STANDARD	METHOD REFERENCE
1	Particulate Matter size less than 10 microns (as PM <sub>10</sub> )	µg/m <sup>3</sup>	78	100	IS: 5182 (Part-23) : 2017
2	Particulate Matter size less than 2.5 microns (as PM <sub>2.5</sub> )	µg/m <sup>3</sup>	39	60	IS: 5182 (Part-24) : 2019
3	Sulphur Dioxide (as SO <sub>2</sub> )	µg/m <sup>3</sup>	15	80	IS: 5182 (Part-2) : 2017
4	Nitrogen Dioxide (as NO <sub>2</sub> )	µg/m <sup>3</sup>	24	80	IS: 5182 (Part-6) : 2017
5	Carbon Monoxide (as CO)	mg/m <sup>3</sup>	0.4	4.0	IS 5182 (Part 10) : 1999, RA 2003

Note: All results are on the basis of 24hour sampling.

**REMARKS: RESULTS ARE AS ABOVE**

**Terms & conditions**

- The report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only

 07/11/22 REVIEWED BY		For ULTIMATE ENVIROLYTICAL SOLUTIONS  AUTHORIZED SIGNATORY
-----------------------------	--	--

-----End of the test report-----



HDD-272, Phase III - Near JP Chowk  
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099  
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

Name & Address Of The Customer

To,  
**SHRI BAJRANG POWER & ISPAT LTD.  
(TMT DIVISION) KHASRA NO.2/3, VILL:  
GONDWARA, URLA INDUSTRIAL AREA  
COMPLEX RAIPUR (C.G.) 493221.**

REPORT NO.	UES/TR/22-23/05326	
LAB REF NO.	UES/22-23/AAQM/012014	
DATE OF SAMPLING	01/11/2022 to 02/11/2022	
DATE OF RECEIPT	02/11/2022	
DATE OF REPORT	07/11/2022	
DATE OF ANALYSIS	START: 02/11/2022	END: 07/11/2022

**SAMPLE DETAILS**

MONITORING FOR	AMBIENT AIR QUALITY MONITORING		
SAMPLING LOCATION	NEAR ADMIN BUILDING	LATITUDE	21.293891
		LONGITUDE	81.615744
CUSTOMER REF. NO.	SBPIL(GONDWARA)/ENV/22-23/1376 DATED: 22.10.2022		
SAMPLE COLLECTED BY	LABORATORY CHEMIST		
DURATION OF SAMPLING	24 HOURS		
SAMPLING PROCEDURE	AS PER METHOD REFERENCE		
SAMPLE QUANTITY/PACKING	FILTER PAPER (PM <sub>10</sub> ): 1X1 NO., FILTER PAPER (PM <sub>2.5</sub> ): 1X1 NO., SO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE, NO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE RUBBER BLADDER: 1X1 NO.		

**TEST REPORT**

SR. NO.	PARAMETER	UNIT	RESULT	NAAQM STANDARD	METHOD REFERENCE
1	Particulate Matter size less than 10 microns (as PM <sub>10</sub> )	µg/m <sup>3</sup>	65	100	IS: 5182 (Part-23) : 2017
2	Particulate Matter size less than 2.5 microns (as PM <sub>2.5</sub> )	µg/m <sup>3</sup>	33	60	IS: 5182 (Part-24) : 2019
3	Sulphur Dioxide (as SO <sub>2</sub> )	µg/m <sup>3</sup>	12	80	IS: 5182 (Part-2) : 2017
4	Nitrogen Dioxide (as NO <sub>2</sub> )	µg/m <sup>3</sup>	26	80	IS: 5182 (Part-6) : 2017
5	Carbon Monoxide (as CO)	mg/m <sup>3</sup>	0.5	4.0	IS 5182 (Part 10) : 1999, RA 2003

Note: All results are on the basis of 24 hour sampling.


**REMARKS: RESULTS ARE AS ABOVE**

**Terms & conditions**

- The report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only

07/11/2022

REVIEWED BY



For ULTIMATE ENVIROLYTICAL SOLUTIONS

AUTHORIZED SIGNATORY

-----End of the test report-----



HDD-272, Phase III - Near JP Chowk  
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099  
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

<b>Name &amp; Address Of The Customer</b> <b>To,</b> <b>SHRI BAJRANG POWER &amp; ISPAT LTD.</b> <b>(TMT DIVISION) KHASRA NO.2/3, VILL:</b> <b>GONDWARA, URLA INDUSTRIAL AREA</b> <b>COMPLEX RAIPUR (C.G.) 493221.</b>	<b>REPORT NO.</b>	UES/TR/22-23/05327	
	<b>LAB REF NO.</b>	UES/22-23/AAQM/012015	
	<b>DATE OF SAMPLING</b>	01/11/2022 to 02/11/2022	
	<b>DATE OF RECEIPT</b>	02/11/2022	
	<b>DATE OF REPORT</b>	07/11/2022	
	<b>DATE OF ANALYSIS</b>	START: 02/11/2022	END: 07/11/2022
<b>SAMPLE DETAILS</b>			
<b>MONITORING FOR</b>	AMBIENT AIR QUALITY MONITORING		
<b>SAMPLING LOCATION</b>	NEAR ROLLING MILL		
<b>CUSTOMER REF. NO.</b>	SBPIL(GONDWARA)/ENV/22-23/1376 DATED: 22.10.2022		
<b>SAMPLE COLLECTED BY</b>	LABORATORY CHEMIST		
<b>DURATION OF SAMPLING</b>	24 HOURS		
<b>SAMPLING PROCEDURE</b>	AS PER METHOD REFERENCE		
<b>SAMPLE QUANTITY/PACKING</b>	FILTER PAPER (PM <sub>10</sub> ): 1X1 NO., FILTER PAPER (PM <sub>2.5</sub> ): 1X1 NO., SO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE, NO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE RUBBER BLADDER: 1X1 NO.		

### TEST REPORT

SR. NO.	PARAMETER	UNIT	RESULT	NAAQM STANDARD	METHOD REFERENCE
1	Particulate Matter size less than 10 microns (as PM <sub>10</sub> )	µg/m <sup>3</sup>	74	100	IS: 5182 (Part-23) : 2017
2	Particulate Matter size less than 2.5 microns (as PM <sub>2.5</sub> )	µg/m <sup>3</sup>	36	60	IS: 5182 (Part-24) : 2019
3	Sulphur Dioxide (as SO <sub>2</sub> )	µg/m <sup>3</sup>	15	80	IS: 5182 (Part-2) : 2017
4	Nitrogen Dioxide (as NO <sub>2</sub> )	µg/m <sup>3</sup>	24	80	IS: 5182 (Part-6) : 2017
5	Carbon Monoxide (as CO)	mg/m <sup>3</sup>	0.4	4.0	IS 5182 (Part 10) : 1999, RA 2003

Note: All results are on the basis of 24 hour sampling.

#### REMARKS: RESULTS ARE AS ABOVE

##### Terms & conditions

- The report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only

 07/11/22 <b>REVIEWED BY</b>	 <b>For ULTIMATE ENVIROLYTICAL SOLUTIONS</b>	 <b>AUTHORIZED SIGNATORY</b>
------------------------------------	---	---------------------------------

-----End of the test report-----



HDD-272, Phase III - Near JP Chowk  
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099  
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1996

<b>To,</b> <b>SHRI BAJRANG POWER &amp; ISPAT LTD.</b> <b>(TMT DIVISION) KHASRA NO.2/3, VILL:</b> <b>GONDWARA, URLA INDUSTRIAL AREA</b> <b>COMPLEX RAIPUR (C.G.) 493221.</b>	REPORT NO.	UES/TR/22-23/05328	
	LAB REF NO.	UES/22-23/AAQM/012016	
	DATE OF SAMPLING	01/11/2022 to 02/11/2022	
	DATE OF RECEIPT	02/11/2022	
	DATE OF REPORT	07/11/2022	
	DATE OF ANALYSIS	START: 02/11/2022	END: 07/11/2022

SAMPLE DETAILS

MONITORING FOR	AMBIENT AIR QUALITY MONITORING		
SAMPLING LOCATION	NEAR WIRE DRAWING MILL	LATITUDE	21.292594
		LONGITUDE	81.615405
CUSTOMER REF. NO.	SBPIL(GONDWARA)/ENV/22-23/1376 DATED: 22.10.2022		
SAMPLE COLLECTED BY	LABORATORY CHEMIST		
DURATION OF SAMPLING	24 HOURS		
SAMPLING PROCEDURE	AS PER METHOD REFERENCE		
SAMPLE QUANTITY/PACKING	FILTER PAPER (PM <sub>10</sub> ): 1X1 NO., FILTER PAPER (PM <sub>2.5</sub> ): 1X1 NO., SO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE, NO <sub>2</sub> : 30MLX1 NO. PVC BOTTLE RUBBER BLADDER: 1X1 NO.		

TEST REPORT

SR. NO.	PARAMETER	UNIT	RESULT	NAAQM STANDARD	METHOD REFERENCE
1	Particulate Matter size less than 10 microns (as PM <sub>10</sub> )	µg/m <sup>3</sup>	71	100	IS: 5182 (Part-23) : 2017
2	Particulate Matter size less than 2.5 microns (as PM <sub>2.5</sub> )	µg/m <sup>3</sup>	33	60	IS: 5182 (Part-24) : 2019
3	Sulphur Dioxide (as SO <sub>2</sub> )	µg/m <sup>3</sup>	15	80	IS: 5182 (Part-2) : 2017
4	Nitrogen Dioxide (as NO <sub>2</sub> )	µg/m <sup>3</sup>	25	80	IS: 5182 (Part-6) : 2017
5	Carbon Monoxide (as CO)	mg/m <sup>3</sup>	0.5	4.0	IS 5182 (Part 10) : 1999, RA 2003

Note: All results are on the basis of 24 hour sampling.

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- > The report for publication, arbitration or as legal dispute is forbidden.
- > Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- > This is for information as the party has asked for above test(s) only

 07/11/22 REVIEWED BY		For ULTIMATE ENVIROLYTICAL SOLUTIONS  AUTHORIZED SIGNATORY
-----------------------------	--	--

-----End of the test report-----